


TECH SPECS HUMBER DESTROYER

500	Maximum persons	8 People/600kg
	Overall Length	5.0m
	Internal Length	3.94m
	Overall beam	2.38m
	Internal beam	1.35m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	355kg
	Max. payload	975kg
Maximum HP/ Engine weight	90HP/ 170kg	

530	Maximum persons	8 People/600kg
	Overall Length	5.3m
	Internal Length	4.25m
	Overall beam	2.38m
	Internal beam	1.35m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	380kg
	Max. payload	1000kg
Maximum HP/ Engine weight	90HP/ 170kg	


550	Maximum persons	9 People/675kg
	Overall Length	5.5m
	Internal Length	4.38m
	Overall beam	2.38m
	Internal beam	1.35m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	405kg
	Max. payload	1100kg
Maximum HP/ Engine weight	115HP/ 190kg	



580	Maximum persons	10 People/750kg
	Overall Length	5.8m
	Internal Length	4.68m
	Overall beam	2.38m
	Internal beam	1.35m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	430kg
	Max. payload	1200kg
	Maximum HP/ Engine weight	130HP/ 200kg

600	Maximum persons	10 People/750kg
	Overall Length	6.0m
	Internal Length	4.88m
	Overall beam	2.38m
	Internal beam	1.35m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	465kg
	Max. payload	1250kg
	Maximum HP/ Engine weight	140HP/ 200kg

650	Maximum persons	11 People/825kg
	Overall Length	6.5m
	Internal Length	5.54m
	Overall beam	2.38m
	Internal beam	1.35m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	515kg
	Max. payload	1370kg
	Maximum HP/ Engine weight	175HP/ 245kg



700

Maximum persons	11 People/825kg
Overall Length	7.0m
Internal Length	5.92m
Overall beam	2.38m
Internal beam	1.35m
Tube diameter	.48
No. of chambers	5
Category	C
Standard boat weight	565kg
Max. payload	1400kg
Maximum HP/ Engine weight	200HP/ 245kg

