

TECH SPECS HUMBER OCEAN PRO 2.0M & 2.28M BEAM

500 2.0M BEAM	Maximum persons	8 People/600kg
	Overall Length	5.0m
	Internal Length	4.05m
	Overall beam	2.0m
	Internal beam	1.11m
	Tube diameter	.43
	No. of chambers	5
	Category	C
	Standard boat weight	315kg
	Max. payload	940kg
	Maximum HP/ Engine weight	75HP/ 170kg

530 2.0M BEAM	Maximum persons	8 People/600kg
	Overall Length	5.3m
	Internal Length	4.35m
	Overall beam	2.0m
	Internal beam	1.11m
	Tube diameter	.43
	No. of chambers	5
	Category	C
	Standard boat weight	335kg
	Max. payload	970kg
	Maximum HP/ Engine weight	90HP/ 175kg




500 2.28M BEAM	Maximum persons	8 People/600kg
	Overall Length	5.0m
	Internal Length	3.9m
	Overall beam	2.28m
	Internal beam	1.22m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	355kg
	Max. payload	990kg
Maximum HP/ Engine weight	90HP/ 175kg	

530 2.28M BEAM	Maximum persons	9 People/675kg
	Overall Length	5.3m
	Internal Length	4.2m
	Overall beam	2.28m
	Internal beam	1.22m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	390kg
	Max. payload	1090kg
Maximum HP/ Engine weight	115HP/ 185kg	

550 2.28M BEAM	Maximum persons	10 People/750kg
	Overall Length	5.5m
	Internal Length	4.4m
	Overall beam	2.28m
	Internal beam	1.22m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	420kg
	Max. payload	1175kg
Maximum HP/ Engine weight	115HP/ 185kg	

PLEASE NOTE

Dimensions do not include engine. Dimensions indicated have a tolerance of $\pm 3\%$. Weight measurements have a tolerance of $\pm 5\%$, and are subject to final specification




TECH SPECS HUMBER OCEAN PRO 2.34M BEAM

570 2.34M BEAM	Maximum persons	12 People/900kg
	Overall Length	5.7m
	Internal Length	4.5m
	Overall beam	2.34m
	Internal beam	1.35m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	520kg
	Max. payload	1445kg
	Maximum HP/ Engine weight	150HP or Twin 60HP/ 245kg

600 2.34M BEAM	Maximum persons	12 People/900kg
	Overall Length	6.0m
	Internal Length	4.8m
	Overall beam	2.34m
	Internal beam	1.35m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	560kg
	Max. payload	1495kg
	Maximum HP/ Engine weight	175HP or Twin 60HP/ 245kg

630 2.34M BEAM	Maximum persons	12 People/900kg
	Overall Length	6.3m
	Internal Length	5.1m
	Overall beam	2.34m
	Internal beam	1.35m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	600kg
	Max. payload	1635kg
	Maximum HP/ Engine weight	200HP or Twin 90HP/ 245kg



680 2.34M BEAM

Maximum persons	13 People/900kg
Overall Length	6.8m
Internal Length	5.6m
Overall beam	2.34m
Internal beam	1.35m
Tube diameter	.48
No. of chambers	5
Category	C
Standard boat weight	670kg
Max. payload	1810kg
Maximum HP/ Engine weight	200HP or Twin 90HP/ 335kg

PLEASE NOTE

Dimensions do not include engine. Dimensions indicated have a tolerance of $\pm 3\%$. Weight measurements have a tolerance of $\pm 5\%$. and are subject to final specification

