

# TECH SPECS HUMBER OCEAN PRO 2.0M & 2.28M BEAM

500 2.0M BEAM	Maximum persons	8 People/600kg
	Overall Length	5.0m
	Internal Length	4.05m
	Overall beam	1.92m
	Internal beam	1.11m
	Tube diameter	.43
	No. of chambers	5
	Category	C
	Standard boat weight	315kg
	Max. payload	940kg
	Maximum HP/ Engine weight	75HP/ 170kg

530 2.0M BEAM	Maximum persons	8 People/600kg
	Overall Length	5.3m
	Internal Length	4.35m
	Overall beam	1.92m
	Internal beam	1.11m
	Tube diameter	.43
	No. of chambers	5
	Category	C
	Standard boat weight	335kg
	Max. payload	965kg
	Maximum HP/ Engine weight	90HP/ 175kg




<b>500 2.28M BEAM</b>	Maximum persons	8 People/600kg
	Overall Length	5.0m
	Internal Length	3.9m
	Overall beam	2.28m
	Internal beam	1.22m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	355kg
	Max. payload	995kg
Maximum HP/ Engine weight	90HP/ 175kg	

<b>530 2.28M BEAM</b>	Maximum persons	9 People/675kg
	Overall Length	5.3m
	Internal Length	4.2m
	Overall beam	2.28m
	Internal beam	1.22m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	390kg
	Max. payload	1090Kg
Maximum HP/ Engine weight	115HP/ 185kg	

<b>550 2.28M BEAM</b>	Maximum persons	10 People/750kg
	Overall Length	5.5m
	Internal Length	4.4m
	Overall beam	2.28m
	Internal beam	1.22m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	420kg
	Max. payload	1175kg
Maximum HP/ Engine weight	115HP/ 185kg	

**PLEASE NOTE**

Dimensions do not include engine. Dimensions indicated have a tolerance of  $\pm 3\%$ . Weight measurements have a tolerance of  $\pm 5\%$  and are subject to final specification




# TECH SPECS HUMBER OCEAN PRO 2.34M BEAM

570 2.34M BEAM	Maximum persons	12 People/900kg
	Overall Length	5.7m
	Internal Length	4.5m
	Overall beam	2.35m
	Internal beam	1.34m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	520kg
	Max. payload	1445kg
	Maximum HP/ Engine weight	150HP or Twin 60HP/ 245kg

600 2.34M BEAM	Maximum persons	12 People/900kg
	Overall Length	6.0m
	Internal Length	4.8m
	Overall beam	2.34m
	Internal beam	1.35m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	560kg
	Max. payload	1495kg
	Maximum HP/ Engine weight	175HP or Twin 60HP/ 245kg

630 2.34M BEAM	Maximum persons	12 People/900kg
	Overall Length	6.3m
	Internal Length	5.1m
	Overall beam	2.34m
	Internal beam	1.35m
	Tube diameter	.48
	No. of chambers	5
	Category	C
	Standard boat weight	600kg
	Max. payload	1545kg
	Maximum HP/ Engine weight	200HP or Twin 90HP/ 245kg



# 680 2.34M BEAM

Maximum persons	12 People/900kg
Overall Length	6.8m
Internal Length	5.6m
Overall beam	2.34m
Internal beam	1.35m
Tube diameter	.48
No. of chambers	5
Category	C
Standard boat weight	670kg
Max. payload	1595kg
Maximum HP/ Engine weight	200HP or Twin 75HP/ 270kg



**PLEASE NOTE**

Dimensions do not include engine. Dimensions indicated have a tolerance of  $\pm 3\%$ . Weight measurements have a tolerance of  $\pm 5\%$  and are subject to final specification