

# TECH SPECS HUMBER OFFSHORE 2.8M BEAM

## 700 2.8M BEAM


Maximum persons	12 People/900kg
Overall Length	7.0m
Internal Length	5.4m
Overall beam	2.8m
Internal beam	1.75m
Tube diameter	.53
No. of chambers	7
Category	C
Standard boat weight	1220kg
Max. payload	1685kg
Maximum HP/ Engine weight	300HP or Twin 140HP/ 400kg

## 750 2.8M BEAM

Maximum persons	12 People/900kg
Overall Length	7.5m
Internal Length	5.9m
Overall beam	2.8m
Internal beam	1.75m
Tube diameter	.53
No. of chambers	7
Category	C
Standard boat weight	1280kg
Max. payload	1790kg
Maximum HP/ Engine weight	350HP or Twin 200HP/ 480kg

## 800 2.8M BEAM

Maximum persons	14 People/1050kg
Overall Length	8.0m
Internal Length	6.4m
Overall beam	2.8m
Internal beam	1.75m
Tube diameter	.53
No. of chambers	7
Category	C
Standard boat weight	1380kg
Max. payload	1975kg
Maximum HP/ Engine weight	350HP or Twin 200HP/ 480kg



## 850 2.8M BEAM


Maximum persons	14 People/1050kg
Overall Length	8.5m
Internal Length	6.9m
Overall beam	2.8m
Internal beam	1.75m
Tube diameter	.53
No. of chambers	7
Category	B
Standard boat weight	1445kg
Max. payload	2055kg
Maximum HP/ Engine weight	350HP or Twin 300HP/ 520kg

## 900 2.8M BEAM

Maximum persons	16 People/1200kg
Overall Length	9.0m
Internal Length	7.4m
Overall beam	2.8m
Internal beam	1.75m
Tube diameter	.53
No. of chambers	7
Category	B
Standard boat weight	1595kg
Max. payload	2490kg
Maximum HP/ Engine weight	350HP or Twin 300HP/ 600kg

## 950 2.8M BEAM

Maximum persons	16 People/1200kg
Overall Length	9.5m
Internal Length	7.9m
Overall beam	2.8m
Internal beam	1.75m
Tube diameter	.53
No. of chambers	9
Category	B
Standard boat weight	1660kg
Max. payload	2490kg
Maximum HP/ Engine weight	350HP or Twin 300HP/ 600kg



## 1000 2.8M BEAM

Maximum persons	18 People/1350kg
Overall Length	10.0m
Internal Length	8.4m
Overall beam	2.8m
Internal beam	1.75m
Tube diameter	.53
No. of chambers	9
Category	B
Standard boat weight	1760kg
Max. payload	2860kg
Maximum HP/ Engine weight	350HP or Twin 350HP/ 760kg

## 1050 2.8M BEAM

Maximum persons	18 People/1350kg
Overall Length	10.5m
Internal Length	8.9m
Overall beam	2.8m
Internal beam	1.75m
Tube diameter	.53
No. of chambers	9
Category	B
Standard boat weight	1825kg
Max. payload	2860kg
Maximum HP/ Engine weight	350HP or Twin 350HP/ 760kg

## 1100 2.8M BEAM

Maximum persons	18 People/1350kg
Overall Length	11.0m
Internal Length	9.4m
Overall beam	2.8m
Internal beam	1.75m
Tube diameter	.53
No. of chambers	9
Category	B
Standard boat weight	1915kg
Max. payload	2860kg
Maximum HP/ Engine weight	350HP or Twin 350HP/ 760kg

### PLEASE NOTE

Dimensions do not include engine. Dimensions indicated have a tolerance of  $\pm 3\%$ . Weight measurements have a tolerance of  $\pm 5\%$  and are subject to final specification

